

SOURCE	TARGET
Plaque Information	Xogta Taargooyinka
Zinc plaque (.153 or .060 thickness)	Taargo Zinc (.153 ama .060 dhumucdiis)
Acid (reverse) etched engraved copy	Qoraal lagu qoro farsamo (acid reverse etched engraved copy)
Black stipled background	Gadaal oo leh dhibco yar (black stipled background)
Colors: Silvertone or Goldtone	Midabyo: Silvertone ama Goldtone
Copy height: 1/2"	Dhererka qoraalka: 1/2
Copy font: Myriad Semi-Bold	Farta qoraalka: Myriad Semi-Bold
Approximate maximum number of characters each line: 19	Tirada ugu badan ee xarfo ah layn kasta: 19
A protective clear polyurethane coat is applied over the top.	Lakab hufan oo difaac ah (polyurethane coat) ayaa dusha laga mariyaa.
Note: See specifications for more information.	Ogeysiis: Eeg sharraxaadda faahfaahsan si aad u hesho macluumaad dheeraad ah.
Name of Dedicatee	Magaca Qofka loo Hibeeyay
Name of Donor	Magaca Bixiyaha
3 rd Line – Name or Message	Laynka 3aad – Magac ama Farriin
DRAWN BY: J.R, I MPRB PLANNING I DATE: 12.14.16	SAWIRAY: J.R MPRB PLANNING TAARIIKH: 12.14.16
8" Wide x 3" High Dedication Plaque	Taargo Hibayn 8" Ballac x 3" Dherer
1/2" flat edge border	1/2" oo gees siman
Large copy height: 1"	Dhererka qoraalka weyn: 1"
Small copy height: 3/4"	Dhererka qoraalka yar: 3/4"
A UV protective clear polyurethane coat is applied over the top.	Lakab hufan oo difaac ah (UV polyurethane coat) ayaa dusha laga mariyaa.
Fasteners shall depend upon mounting condition; exposed fasteners shall be painted or finished to match surface condition, as applicable.	Xirmooyinka (Fasteners) waxay ku xiran yihiin xaaladda rakibidda; haddii ay muuqdaan waa in lagu rinjiyeeyaa ama loo dhammeeyaa si ay ula mid noqdaan dusha, haddii ay khusayso.
In honor of NAME OR ORGANIZATION	“In honor of [MAGACA AMA HAY’ADDA]”
Presened by	Waxaa soo bandhigay
Shown full size - with silver-tone finish	Muuqaal buuxa - dhamaystir silvertone
Gold-tone Example	Tusaale Goldtone
14" Wide x 1 O" High Dedication Plaque	Taargo Hibayn sare 14" Ballac x 10" Dherer
THIS BOX IS EXACTLY 1”X1” AT FULL SCALE	SANDUUKHAN WAA 1” X 1” MARKA UU YAHAY CABBIR BUUXA.
Dedication Name	Magaca Uhibaynta
This amenity is made possible by the generous support of the following donors	Raaxadan waxaa suurta galiyay taageerada deeqsinimada leh ee dadka soo socda

24" Wide x 18" High Dedication Plaque for Multiple Donor Acknowledgment	Taargo Hibayn 24" Ballac x 18" Dherer loogu talagalay Aqoonsiga Deeq-bixiyeyaasha Badan
Cut Metal Letters Information	Xogta Xarfo Bir ah oo La Jaro
Aluminum letters from 2" to 4" tall; Aluminum 5052 alloy	Xarfo Aluminium ah oo u dhexeeya 2" ilaa 4" oo dherer ah; Aluminium 5052 alloy
Thickness and depth: 1/2" - 1"	Dhumuc iyo qoto: 1/2" - 1"
Outdoor finishes: Clear anodized (hardened) for longer outdoor lite	Dhammeystirka dibadda: Anodized cad (la adkeeyay) si cimri dheer u yeesho
Indoor finishes: Polished, brushed satin and baked-enamel paint	Dhammeystirka gudaha: La safeeyey, dhalaal satin ah, iyo rinji enameel ah oo la dubay
Colors: Silver-tone or Black	Midabyo: Silvertone ama Madow
Copy font: Myriad Semi-Bold; spacing at 150%o	Farta qoraalka: Myriad Semi-Bold; kala fogaanshaha 150%
Max. no. characters ea. line: TBD; verify mounting condition	Tirada ugu badan ee xarfo layn kasta: Wali lama go'aamin (TBD); xaqiiji xaaladda rakibidda
Mounting options: Flush to wall or raised/floating off the wall with spacers	Xulashooyinka rakibidda: Ku siman derbiga ama kor loo qaado/lagu xiro spacers
Fasteners shall depend upon mounting condition; exposed fasteners shall be painted or finished to match surface condition, as applicable	Xirmooyinka (Fasteners) waxay ku xiran yihiin xaaladda rakibidda; haddii ay muuqdaan waa in lagu rinjiyeeyaa ama loo dhammeeyaa si ay ula mid noqdaan dusha, haddii ay khusayso.
2" Copy	2" Qoraal
Individual Metal Sign Letters - Exterior or Interior Use	Xarfo Bir ah oo Gaar ah – Dibadda ama Gudaha ayaa loo isticmaali karaa.

Plaque Information

Zinc plaque (.153 or .060 thickness)

Acid (reverse) etched engraved copy

Black stipled background

Colors: Silvertone or Goldtone

Copy height: 1/2"



Copy font: Myriad Semi-Bold

Approximate maximum number of characters each line: 19

A protective clear polyurethane coat is applied over the top.

Note: See specifications for more information.

THIS BOX IS
EXACTLY
1" X 1"
AT FULL
SCALE



DRAWN BY: J.R. | MPRB PLANNING | DATE: 12.14.16

8" Wide x 3" High Dedication Plaque



Minneapolis
Park & Recreation Board

Plaque Information

Zinc plaque (.153 thickness)

Acid (reverse) etched engraved copy

Black stippled background

1/2" flat edge border

Colors: Silver-tone or Gold-tone

Copy font: Myriad Semi-Bold

**Large copy height: 1"
Approximate maximum number of
characters each line: 14**

**Small copy height: 3/4"
Approximate maximum number of
characters each line: 19**

**A UV protective clear polyurethane
coat is applied over the top.**


**Fasteners shall depend upon mounting
condition; exposed fasteners shall be
painted or finished to match surface
condition, as applicable.**

**Note: See specifications for more
information.**



THIS BOX IS
EXACTLY
1" X 1"
AT FULL
SCALE

Shown full size - with silver-tone finish



Plaque Information

Zinc plaque (.153 thickness)

Acid (reverse) etched engraved copy

Black stippled background

1" flat edge border

Colors: Silver-tone or Gold-tone

Copy font: Myriad Semi-Bold

Large copy height: 2"

Approximate maximum number of characters each line: 16

Small copy height: 1"


Approximate maximum number of characters each line: 24

A UV protective clear polyurethane coat is applied over the top.

Fasteners shall depend upon mounting condition; exposed fasteners shall be painted or finished to match surface condition, as applicable.

Note: See specifications for more information.

THIS BOX IS
EXACTLY
1" X 1"
AT FULL
SCALE



Cut Metal Letters Information

Aluminum letters from 2" to 4" tall; Aluminum 5052 alloy

Thickness and depth: 1/2" - 1"

Outdoor finishes: Clear anodized (hardened) for longer outdoor life

Indoor finishes: Polished, brushed satin and baked-enamel paint

Colors: Silver-tone or Black

Copy font: Myriad Semi-Bold; spacing at 150%

Max. no. characters ea. line: TBD; verify mounting condition

Mounting options: Flush to wall or raised/floating off the wall with spacers

Fasteners shall depend upon mounting condition; exposed fasteners shall be painted or finished to match surface condition, as applicable.

2" Copy 2" Copy

3" Copy 3" Copy

4" Copy 4" Copy

THIS BOX IS
EXACTLY
1" X 1"
AT FULL
SCALE

Note: See specifications for more information.